

**METHOD AND APPARATUS FOR AN ELECTRONIC BILLBOARD SYSTEM****BACKGROUND OF THE INVENTION****5 1. Technical Field:**

The present invention relates generally to an improved data processing system, and in particular to a method and apparatus for presenting information. Still more particularly, the present invention relates to a  
10 method and apparatus for transmitting information to a user at a mobile device.

**2. Description of Related Art:**

Advertisement has been one of the major business  
15 processes for a long time. For an advertisement campaign to be effective, the information has to be delivered to the right people at the right time and the right place. One type of current advertisement media uses stationary billboards placed at strategic locations to deliver  
20 information to potential customers. These mechanical or electronic billboards can display visual information to draw customers' attention, but these billboards are unable to further interact with potential customers who are interested in the information being displayed. If,  
25 after viewing the information from a billboard, a potential customer wants to obtain more information or purchase the products/services being advertised, typically the customer copies or writes down the phone number or the web address (i.e., URL) displayed on the  
30 billboard. Then, this potential customer establishes a contact with the information source through a separate channel, such as, for example, making a phone call or visiting the web site using a browser. It is possible

that a customer interested in the products/services in display either neglected to take down the contact information or did so incorrectly and was not able to find it at a later time. In such a case, the provider of  
5 the advertised products/services fails to close a business transaction with this customer.

Wide area wireless Internet services are routinely used for services such as, for example, receiving stock prices, reading e-mail, and checking weather conditions.  
10 Due to the expensive air transmission charges and the limited battery life of many wireless devices, wireless users will likely be reluctant to accept advertisements pushed to them at their expense.

Banner advertisements are a popular form of  
15 advertisement on the Internet nowadays. These advertisements provide a convenient way (basically one click) for users who are interested in the ads to interact with the advertisement source to get more information and possibly purchase the products and  
20 services. Banner advertisements, however, have drawbacks. First, this type of advertisement can only interact with customers who are browsing the web. Furthermore, these advertisements can be very intrusive for web users who do not want to see them because these banner advertisements  
25 take up computer window space as well as transmission bandwidth.

Thus, it would be advantageous to have an improved method and apparatus for presenting advertisements and other information to users.

**SUMMARY OF THE INVENTION**

The present invention provides an electronic  
5 billboard system, which includes a display device coupled  
with a data processing system to display information,  
such as advertisements, on the display device. The data  
processing system is further equipped with a wireless  
communication interface to communicate with mobile  
10 devices. Upon seeing a visual presentation of an  
advertisement on a display device of the present  
invention, the user may initiate a request from the  
mobile device to receive information from the data  
processing system through a wireless communications link  
15 with the wireless communications interface. Information  
is transmitted to the mobile device and presented to the  
user.

Further, the information also may include one or  
more prompts for further actions. For example, a further  
20 action may include following through with the  
advertisement, such as purchasing an item as advertised  
or obtaining more information, discarding the  
advertisement, and saving the advertisement.

**BRIEF DESCRIPTION OF THE DRAWINGS**

The novel features believed characteristic of the  
5 invention are set forth in the appended claims. The  
invention itself, however, as well as a preferred mode of  
use, further objectives and advantages thereof, will best  
be understood by reference to the following detailed  
description of an illustrative embodiment when read in  
10 conjunction with the accompanying drawings, wherein:

**Figure 1** is a diagram of a network data processing  
system in which the present invention may be implemented;

**Figure 2** is a block diagram of a data processing  
15 system that may be implemented as a server in accordance  
with a preferred embodiment of the present invention;

**Figure 3** is a block diagram of a PDA shown in  
accordance with a preferred embodiment of the present  
invention;

**Figure 4** is a block diagram of a cellular phone in  
20 accordance with a preferred embodiment of the present  
invention;

**Figure 5** is a diagram of a Web portal in accordance  
with a preferred embodiment of the present invention;

**Figure 6** is a diagram illustrating functional  
25 components in an electronic billboard system in  
accordance with a preferred embodiment of the present  
invention;

**Figures 7A and 7B** are diagrams illustrating displays  
30 on a mobile device in accordance with a preferred  
embodiment of the present invention;

**Figure 8** is a flowchart of a process for receiving  
and processing advertisement information in accordance  
with a preferred embodiment of the present invention;

**Figure 9** is a flowchart of a process used to schedule an advertisement on an electronic billboard system in accordance with a preferred embodiment of the present invention;

5       **Figure 10** is a flowchart of a process used for displaying advertisements in accordance with a preferred embodiment of the present invention;

**Figure 11** is a flowchart of a process for handling a request for information from a mobile device in  
10 accordance with a preferred embodiment of the present invention;

**Figure 12** is a flowchart of a process used for selecting information for transmission to a mobile device is depicted in accordance with a preferred embodiment of  
15 the present invention; and

**Figure 13** is a flowchart of a process used for handling a transaction for an item in accordance with a preferred embodiment of the present invention.

**DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

With reference now to the Figures, and particularly  
5 with reference to **Figure 1**, a diagram of a network data  
processing system is depicted in which the present  
invention may be implemented. Network data processing  
system **100** includes, in this example, Internet **102**,  
cellular network **104**, and network **106**, which connects web  
10 portal **108** and electronic billboard system **110**. Cellular  
network **104** connects mobile devices **118**, **120**, and **122** to  
Internet **102**, which further interconnects advertiser **124**  
and web portal **108**. Internet **102** represents a worldwide  
collection of networks and gateways that use the TCP/IP  
15 suite of protocols to communicate with one another. At  
the heart of the Internet is a backbone of high-speed data  
communication lines between major nodes or host computers,  
consisting of thousands of commercial, government,  
educational and other computer systems that route data and  
20 messages. Network **106** may take various forms, such as a  
local area network (LAN) or a wide area network (WAN).  
Cellular network **104** may be implemented using various  
standards, such as time division multiple access (TDMA)  
or code division multiple access (CDMA).

25 In the depicted examples, electronic billboard  
system **110** is connected to web portal **108** via network  
**106**. Electronic billboard system **110** includes a display  
**112**, a data processing system **114**, and a wireless  
communications unit **116**. Wireless communication unit **116**  
30 provides an interface to mobile devices, such as mobile  
devices **118-122**. In this example, mobile device **118** is a  
PDA, mobile device **120** is a cellular phone, and mobile  
device **122** is a laptop computer with a wireless modem. A  
mobile device may take various forms, such as, for  
35 example, a mobile phone, a personal digital assistant  
(PDA), and a laptop computer with a wireless modem. These

mobile devices are also able to connect to Internet **102** via cellular network **104** in these examples.

Advertisements may be displayed on display **112** in electronic billboard system **110**. Display **112** is capable  
5 of displaying images and video, as well as presenting audio information. This presentation is controlled by data processing system **114**.

These advertisements may be received from various sponsors, such as advertiser **124**. Advertisements may be  
10 negotiated for and received by Web portal **108**, which may possibly hosted by the operator of electronic billboard system **110**. Advertiser **124** may connect to Web portal **108** to post advertisements at selected electronic billboard locations. In other words, advertiser **124** may reserve  
15 "airtime" at electronic billboard system **110**. These advertisements may be distributed to data processing system **114** in electronic billboard **110**. Further, this data processing system manages contents to be displayed to be display **112** as well as record usage statistics and  
20 providing updates to status of display **110**.

Mobile devices **118-122** may request more information regarding an advertisement on display **112** through a wireless connection to electronic billboard system **110** using wireless communication unit **116**. Typically, a user  
25 or potential customer may view an advertisement displayed on display **112** and request more information on the item or items being presented. These items may be for goods or services. Additionally, other advertisements may be sent to the user in addition to or in place of the information  
30 being presented on display **112**.

In the depicted examples, the protocol is a short range wireless protocol, such as, for example, Bluetooth wireless technology, or IEEE 802.11 wireless LAN. Bluetooth wireless technology is a specification for  
35 small-form factor, low-cost, short range radio links

between mobile PCs, mobile phones and other portable devices.

Although only a single electronic billboard system is illustrated in network data processing system **100**,  
5 additional electronic billboard systems may be located within network data processing system at various locations.

Referring to **Figure 2**, a block diagram of a data processing system that may be implemented as a server,  
10 such as Web portal **108** or data processing system **114** in **Figure 1**, is depicted in accordance with a preferred embodiment of the present invention. Data processing system **200** may be a symmetric multiprocessor (SMP) system including a plurality of processors **202** and **204** connected  
15 to system bus **206**. Alternatively, a single processor system may be employed. Also connected to system bus **206** is memory controller/cache **208**, which provides an interface to local memory **209**. I/O bus bridge **210** is connected to system bus **206** and provides an interface to  
20 I/O bus **212**. Memory controller/cache **208** and I/O bus bridge **210** may be integrated as depicted.

Peripheral component interconnect (PCI) bus bridge **214** connected to I/O bus **212** provides an interface to PCI local bus **216**. A number of modems may be connected to PCI  
25 bus **216**. Typical PCI bus implementations will support four PCI expansion slots or add-in connectors.

Communications links to network **106** and mobile devices **118-122** in **Figure 1** may be provided through wireless communications adapter **218** and network adapter **220**  
30 connected to PCI local bus **216** through add-in boards. Wireless communications adapter **218** provides a connection to wireless communications unit **116** in **Figure 1**.

Additional PCI bus bridges **222** and **224** provide interfaces for additional PCI buses **226** and **228**, from  
35 which additional modems or network adapters may be



supported. In this manner, data processing system **200** allows connections to multiple network computers. A memory-mapped graphics adapter **230** and hard disk **232** may also be connected to I/O bus **212** as depicted, either  
5 directly or indirectly.

Those of ordinary skill in the art will appreciate that the hardware depicted in **Figure 2** may vary. For example, other peripheral devices, such as optical disk drives and the like, also may be used in addition to or in  
10 place of the hardware depicted. The depicted example is not meant to imply architectural limitations with respect to the present invention.

The data processing system depicted in **Figure 2** may be, for example, an IBM RISC/System 6000 system, a product  
15 of International Business Machines Corporation in Armonk, New York, running the Advanced Interactive Executive (AIX) operating system.

Turning now to **Figure 3**, a block diagram of a PDA is shown in accordance with a preferred embodiment of the  
20 present invention. PDA **300** is an example of a mobile device, such as mobile device **118** in **Figure 1**. Code or instructions implementing the processes of the present invention may be located within PDA **300**.

PDA **300** includes a bus **302** to which processor **304** and  
25 main memory **306** are connected. Display adapter **308**, keypad adapter **310**, storage **312**, and audio adapter **314** also are connected to bus **302**. Cradle link **316** provides a mechanism to connect PDA **300** to a cradle used in synchronizing data in PDA **300** with another data processing  
30 system. Communications unit **318** is used to provide data exchange with various sources through a wireless communications link, a phone line, or a network adapter. Further, display adapter **308** also includes a mechanism to receive user input from a stylus when a touch screen

display is employed.

An operating system runs on processor **304** and is used to coordinate and provide control of various components within PDA **300** in **Figure 3**. The operating system may be,  
5 for example, a commercially available operating system such as Palm OS, which is available from Palm Corporation. Instructions for the operating system and applications or programs are located on storage devices, such as storage **312**, and may be loaded into main memory **306** for execution  
10 by processor **304**.

Those of ordinary skill in the art will appreciate that the hardware in **Figure 3** may vary depending on the implementation. Other internal hardware or peripheral devices, such as flash ROM (or equivalent nonvolatile  
15 memory) or optical disk drives and the like, may be used in addition to or in place of the hardware depicted in **Figure 3**.

With reference now to **Figure 4**, a block diagram of a cellular phone is depicted in accordance with a preferred  
20 embodiment of the present invention. Cellular phone **400** is an example of a mobile device, such as mobile device **120** in **Figure 1**.

Cellular phone **400** includes an antenna **402** for transmitting signals and receiving signals. Cellular  
25 phone **400** also includes a modulator **404**, a transmitter **406**, a receiver **408**, a demodulator **410**, and a controller **412**. Controller **412** provides signals to and receives signals from transmitter **406** and receiver **408**, respectively. These signals include signaling  
30 information following the air interface standard of the applicable cellular system and also use speech and/or user generated data. In addition, controller **412** also

may include circuitry used for implementing the audio and logic functions of mobile station **400**, including the functions for periodic re-registration in response to receiving a paging signal requesting registration of the  
5 mobile station. Controller **412** may include a digital signal processor device, a microprocessor device, and various analog to digital converters, digital to analog converters, and other support circuits.

The control and signal processing functions of  
10 mobile station **400** are allocated between these devices. Mobile station **400** also includes a speaker **414**, a microphone **416**, a display **420**, and a keypad **422**, all of which are coupled to controller **412**. In this example, cellular phone **400** also includes a memory **424**, which is  
15 used to store numbers and various other constants and variables used by controller **412** during operation of cellular phone **400**. In addition, cellular phone **400** in this example is powered by a battery **426**.

Turning next to **Figure 5**, a diagram of a Web portal  
20 is depicted in accordance with a preferred embodiment of the present invention. Web portal **500** may be implemented as Web portal **108** in **Figure 1** using a server, such as data processing system **200** in **Figure 2**. Web portal **500** provides a mechanism for advertisers to find out the  
25 location and capabilities of the currently available electronic billboards. The advertisers can use the services provided by the portal to negotiate the time, location, the advertisement to be aired, the prices, and other terms with the billboard operator. The web portal  
30 performs contents management (scheduling, usage tracking, billing, etc.) on a large scale.

When an advertiser submits its ad to Web portal **500**, four types of schedules can be requested: "a chunk of

time" for premium customers, "round robin" for regular ads, "fill the gap time" for cost conscious customers, and "emergency broadcast" for real time promotion. An advertiser creates its custom made advertisement in the  
5 format of a Web page which could includes HTML, Java applets, animated GIF, video, etc. The web page is then uploaded to Web portal **500** of the electronic billboard operator by the advertiser.

In this example, Web portal **500** includes a web  
10 server process **502**, an advertiser process **504**, a billboard process **506**, and a systems manager **508**. Advertiser process **504** is a Web application, which allows advertisers to submit their advertisement requests. Advertisement process **504** also helps advertisers to  
15 negotiate the location, time, and price for showing their advertisements with system manager **508** described below. Electronic billboard process **506** functions to distribute content and the associated schedules to the specified electronic billboard systems, such as electronic  
20 billboard system **110** in **Figure 1**. This process also communicates with electronic billboard systems for usage tracking and performance monitoring of those systems.

Next, system manager **508** provides a central location to handle resource reservations on a global basis. System  
25 manager **508** tracks availability of different electronic billboards for new content or advertisements. In case an advertiser wishes to make an emergency announcement at certain electronic billboard system location, system manager **508** coordinates with the electronic billboard  
30 process **506** to notify the corresponding electronic billboard system.

Turning next to **Figure 6**, a diagram illustrating functional components in an electronic billboard system is depicted in accordance with a preferred embodiment of  
35 the present invention. Data processing system **600** may be

implemented using data processing system **200** in **Figure 2**, as part of an electronic billboard.

Data processing system **600** includes display driver **602**, scheduler **604**, electronic billboard system manager **606**,  
5 visual contents storage **608**, wireless service manager **610**, hot-advertisement server **614**, wireless contents storage **616**, and usage tracking manager **618**.

The display driver **602** renders the contents given to it by scheduler **604**. This content is presented on display  
10 device **620** for a period of time specified by scheduler **604**, which executes the scheduling policy given by the electronic billboard system manager **606**. When it is time to render new content, scheduler **604** retrieves the content from visual contents storage **608**, and passes the  
15 retrieved contents to display driver **602**. In addition to visual content storage **608**, another type of storage is present for storing information to be downloaded into users' PDAs through the wireless service manager **610** by wireless communication. In this example, this storage is  
20 wireless contents storage **616**.

Wireless service manager **610** handles the wireless connection with user mobile devices, such as mobile device **120**, which is a PDA in **Figure 1**. For example, the wireless connection may present a serial interface to  
25 devices at both ends of the connection. The Bluetooth serial profile provides such capability. On top of the serial interface of the wireless connection, two devices can communicate using Hyper Text Transport Protocol (HTTP), Wireless Application Protocol (WAP), or other  
30 custom design request-and-response protocols. Alternatively, the wireless connection may present a TCP/IP interface to devices at both ends. The Bluetooth LAN access profile provides such capability. Depending on the request-and-response protocol used by the mobile  
35 devices, the hot-advertisement server can be implemented

by a web server or a WAP server.

Hot-advertisement server **614** keeps track of the few latest advertisements that were rendered on display **620** because these advertisements are more likely to be  
5 requested by users. In this profile, when a general request is received, the hot-advertisement server **614** responds with a short list of advertisements, each with a reference number that can go with a specific request sent by users.

10 Usage tracking manager **618** monitors the activities of hot-advertisement server **614** and updates electronic billboard system manager **606** about the usage statistics of the contents. Electronic billboard system manager **606** is further connected to web portal **108** in **Figure 1**  
15 through network **106**. Electronic billboard system manager **606** supervises the operation of all electronic billboard systems on the global basis.

With reference now to **Figures 7A** and **7B**, diagrams illustrating displays on a mobile device are depicted in  
20 accordance with a preferred embodiment of the present invention. In **Figure 7A**, a list of advertisement information is show in screen **700**. In this example, the user may select different advertisement information by selecting one or more of entries **702-708** and then  
25 depressing request button **710**. Typically these entries represent advertisements recently presented on an electronic billboard system, such as electronic billboard system **110** in **Figure 1**. Alternatively, these entries may represent advertisements that have been requested most  
30 frequently by users. The information illustrated in display **700** is received through a wireless connection with the electronic billboard system.

In this example, display **712** in **Figure 7B** is presented in response to a selection of entry **702** in  
35 display **700**. This information also is received through

the wireless connection with the electronic billboard system. In display **712**, further actions are presented. The particular actions depend on the particular interface for the mobile device. In this example, the display is an  
5 example of one presented on a PDA. Three soft buttons are presented in display **700** for further actions: "Go For It" button **714**, "Save" button **716**, and "Next" button **718**. "Go For It" button **714** is used to initiate a transaction for a particular item being displayed. "Save" button **716**  
10 allows a user to save the advertisement information, while "Next" button **718** provides for additional information about the item or information about a different item.

With reference now to **Figure 8**, a flowchart of a  
15 process for receiving and processing advertisement information is depicted in accordance with a preferred embodiment of the present invention. The process illustrated in **Figure 8** may be implemented in a mobile device, such as mobile device **120** in **Figure 1**.

20 Upon user's activation of the procedure, the mobile device discovers and connects to an electronic billboard system through a wireless connection (step **800**). When a wireless connection is made between the mobile device and the electronic billboard system, the mobile device  
25 proceeds to receive information from the electronic billboard system, (step **802**). The information is then presented to the user and the options for further actions, such as "pursuing further", "discarding the information", and "saving the information for later  
30 action" (step **804**). The selection of a further action is then processed (step **806**).

Turning next to **Figure 9**, a flowchart of a process used to schedule an advertisement on an electronic billboard system is depicted in accordance with a  
35 preferred embodiment of the present invention. This

process may be implemented in a computing system, such as Web portal **108** in **Figure 1**.

The process begins by receiving a request (step **900**). This request is typically received from a business customer who desires to advertise items, such as a goods or services. A determination is made as to whether the request is for an availability to display advertisement information (step **902**). If the request is not for availability, a determination is made as to whether the request is to negotiate scheduling of an advertisement (step **904**). If the request is for negotiation, then information and terms are sent to the requestor, a potential advertiser (step **906**). This information in terms may include items, such as dates, locations, and prices for the advertisement. A response is received from the potential advertiser (step **908**). The response may include a select of a particular date or dates and location or locations for an advertisement in addition to an acceptance of the terms. A determination is made as to whether the response is an acceptance of the terms (step **910**).

If the response contains an acceptance, the transaction is then completed. Completion of the transaction in this example includes completing the financial arrangements for the advertisement. Further, this completion of the transaction also includes receiving the advertisement information from the advertiser. A confirmation is then sent (step **914**). Then, the advertisement information is transferred to one or more electronic billboard systems (step **916**) with the process terminating thereafter.

With reference again to step **910**, if the request is not an acceptance of the terms, the process terminates. Alternatively, instead of terminating, a negotiation process may be initiated to establish terms acceptable to



both parties. Turning back to step **904**, if the request is not to negotiate an advertisement, the request is processed (step **918**) with the process terminating thereafter.

5       With reference again to step **902**, if the request is for availability of electronic billboard systems, location and time slot information for electronic billboard systems are sent to the requestor (step **920**) with the process terminating thereafter.

10       Turning next to **Figure 10**, a flowchart of a process used for displaying advertisements is depicted in accordance with a preferred embodiment of the present invention. The process illustrated in **Figure 10** may be implemented in a data processing system, such as data  
15       processing system **114** in electronic billboard system **110** in **Figure 1**.

          The process begins by checking the schedule (step **1000**). This schedule contains a list of advertisements that are to be displayed along with the duration and time  
20       of display. A determination is made as to whether a new advertisement is to be displayed (step **1002**). If new advertisement is to be displayed, an advertisement is selected from storage (step **1004**). In this example, the storage is a visual contents storage, such as visual  
25       contents storage **608** in **Figure 6**. The advertisement is then displayed (step **1006**) with the process terminating thereafter. With reference again to step **1002**, if a new advertisement is not to be displayed, the process returns to step **1000**, as described above.

30       Turning now to **Figure 11**, a flowchart of a process for handling a request for information from a mobile device is depicted in accordance with a preferred embodiment of the present invention. The process illustrated in **Figure 11** may be implemented in a data  
35       processing system, such as data processing system **114** in

electronic billboard system **110** in **Figure 1**.

The process begins by receiving a request from a mobile device (step **1100**). This request may take various forms, such as, for example, establishment of a wireless connection with the electronic billboard system or a message requesting information for a particular item. The request is analyzed to determine what information to return to the mobile device (step **1102**). The analysis may identify a particular list of advertisements or a single advertisement to return to the mobile device. Information is selected based on information in the analysis (step **1104**). This information may be selected from a wireless contents storage, such as wireless contents storage **616** in **Figure 6**.

Next, the information is formatted for the particular mobile device (step **1106**). For example, the information may be into a hypertext markup language (HTML) format, Wireless Markup Language (WML) format, or eXtensible Markup Language (XML) format. The information is then transmitted to the mobile device (step **1108**), and the transmission of the information is logged (step **1110**) with the process terminating thereafter. The logging of these transmissions may be used to identify the frequency of requests for information on particular items, as well as maintaining statistical information on mobile devices accessing the electronic billboard system.

With reference now to **Figure 12**, a flowchart of a process used for selecting information for transmission to a mobile device is depicted in accordance with a preferred embodiment of the present invention. The process illustrated in **Figure 12** may be implemented in a data processing system, such as data processing system **114** in electronic billboard system **110** in **Figure 1**.

The process begins by requesting user information (step **1200**). This information may be requested from the

mobile device or from a database of users. The particular user may be identified through a unique identifier in the request for information received from the mobile device in which the unique identifier is associated with user.

5 This information may include, for example, location of the user, occupation, particular buying preferences, and other demographic information.

The information is compared to user profiles (step **1202**). The profiles may be associated with the different advertisement information for a particular product in which a particular version of an advertisement is directed towards the particular characteristics of the user described by the profile. The information for transmission to the mobile device is then selected based on the comparison (step **1204**) with the process terminating thereafter. For example, if the user profile indicates that the user requesting the information desires detailed information about the item, then a detailed description is provided. If the user profile indicates is cost conscious, then price comparison may be provided in the information.

Turning next to **Figure 13**, a flowchart of a process used for handling a transaction for an item is depicted in accordance with a preferred embodiment of the present invention. The process illustrated in **Figure 13** may be implemented in a data processing system, such as data processing system **114** in electronic billboard system **110**, Web portal **108**, or some other data processing system in **Figure 1**. This process is used to handle a transaction in response to a user request for the transaction involving an item. The transaction may be, for example, a purchase of the item using a credit card.

The process begins by receiving a request for a transaction involving an item (step **1300**). This request may originate from a mobile device in communication with

the data processing system in which the request is generated in response to a further user action. For example, a selection of "Go For It" button **714** in **Figure 7B** causes the mobile device to generate the request.

5 Transaction information is then sent to the mobile device (step **1302**). This transaction information may include, for example, a request for payment information, shipping time, and shipping address. The transaction information also may contain terms for credit purchases, as well as  
10 return policies.

The process waits for a response to be returned from the mobile device (step **1304**). The transaction is then processed using the response (step **1306**). A confirmation of the transaction is then sent to the mobile device  
15 (step **1308**) with the process terminating thereafter.

Thus, the present invention provides a method, apparatus, and computer implemented instructions for overcoming the above-described problems, disadvantages, and drawbacks of the conventional methods and systems.  
20 The mechanism of the present invention provides a method and system for distributing information including advertisements more effectively by taking into account the location and time the information is displayed. Further, The mechanism of the present invention provides  
25 a method and system for customers, interested in a specific advertisement displayed on an electronic billboard, to respond to the advertisement in an immediate and easy way. The mechanism of the present invention also allows customers, who are interested in a  
30 specific advertisement that had been previously displayed but currently not on the billboard, to respond to the advertisement in an easy way.

It is important to note that while the present invention has been described in the context of a fully  
35 functioning data processing system, those of ordinary

skill in the art will appreciate that the processes of the present invention are capable of being distributed in the form of a computer readable medium of instructions and a variety of forms and that the present invention  
5 applies equally regardless of the particular type of signal bearing media actually used to carry out the distribution. Examples of computer readable media include recordable-type media, such as a floppy disk, a hard disk drive, a RAM, CD-ROMs, DVD-ROMs, and  
10 transmission-type media, such as digital and analog communications links, wired or wireless communications links using transmission forms, such as, for example, radio frequency and light wave transmissions. The computer readable media may take the form of coded  
15 formats that are decoded for actual use in a particular data processing system.

The description of the present invention has been presented for purposes of illustration and description, and is not intended to be exhaustive or limited to the  
20 invention in the form disclosed. Many modifications and variations will be apparent to those of ordinary skill in the art. The embodiment was chosen and described in order to best explain the principles of the invention, the practical application, and to enable others of  
25 ordinary skill in the art to understand the invention for various embodiments with various modifications as are suited to the particular use contemplated.